




## Roof and wall natural lighting


Why not utilise the knowledgeable staff at Roofing Industries to assist you in choosing the appropriate translucent and transparent products for your project.

Choose from:

- Polycarbonate
- Glass Reinforced Polyester
- Multiwall
- PVC





## MULTIDEK®



Possibly the most underestimated residential roofing product on the market, and yet if you examine the clean lines, architectural flexibility and couple this with a completely hidden fixing system (no need to penetrate the roofing), why would you not consider this practical and attractive alternative?

Multidek's high rib design provides excellent water carrying capacity and is particularly suitable for high rainfall areas. Choose from unpainted Zinalume®, Galvanised, Aluminium, Copper, Stainless Steel or an extensive range of **COLORCOOTE** and **COLORSTEEL** pre-painted modern roof finishes in order to meet individual requirements.



Multidek® hidden fixing clip.

SPECIFICATIONS		
Sheet width: 520mm	Sheet coverage: 500mm	
Sheet length: Any length (Subject to transportation)	Minimum pitch: 3°	
SPAN TABLES (Steel Substrate Material)		
Type of Span	Maximum Span (Metres)	Maximum Span (Metres)
Intermediate	1.600	2.500
End	1.100	1.600
Note: Maximum design load 2.0kPa		

• For loadings greater than 2.0kPa, consult Roofing Industries or visit [www.roof.co.nz](http://www.roof.co.nz)

Multidek® Manufactured in Auckland – additional freight may be applicable outside of Auckland.

This literature should be read in conjunction with our technical information

ROOFING INDUSTRIES FREEPHONE 0800 844 822 [WWW.ROOF.CO.NZ](http://WWW.ROOF.CO.NZ)


## Rainwater Systems

Simply select a rainwater product, along with one of the wide range of substrates and surface finishes, in order to complete and enhance your project.

### Gutters, Downpipes & Fascia



#### 125mm Box Gutter

The 125 Gutter is designed to perform where heavy rainfall intensity may occur. A higher face prevents unsightly views of the end of the roofing sheet, particularly on higher ribbed profiles.




#### Quarter Round

Quarter Round Spouting maintains its traditional appeal, and provides simplicity and classic lines for use in most residential applications. Supplied with internal or external brackets.




#### 1/2 Round 150mm

Well proven, and recognised as an aesthetically pleasing spouting product. 1/2 Round will certainly enhance the overall appeal of your home.





#### Old Gothic 125mm & 150mm

Old Gothic, which is available in two sizes, is reminiscent of the spouting types used on colonial homes. Old Gothic is supplied with internal or external brackets.



#### Fascia

Fascia can be used in conjunction with a wide number of roof types by incorporating a simple attachment system, allowing removal and re-installation without disturbing the main roof material.



#### Downpipes

Available in 65mm, 80mm and 100mm sizes, and supplied in varying lengths to meet requirements.



#### AUCKLAND (Head office)

Roofing Industries Ltd  
5 John Glenn Avenue,  
Albany  
PO Box 302-385  
North Harbour 0751

Ph: (09) 414 4585  
Fax: (09) 414 4586  
office@roof.co.nz

#### WHANGAREI

Roofing Industries (Northland) Ltd  
38 Winger Crescent, Kamo,  
Whangarei  
PO Box 883  
Whangarei 0112

Ph: (09) 437 2040  
Fax: (09) 437 5010  
northland@roof.co.nz

#### WAIKATO

Roofing Industries (Waikato) Ltd  
Unit 4/550 Te Rapa Rd  
Te Rapa, Hamilton  
PO Box 20281 Te Rapa,  
Hamilton 3241

Ph: (07) 849 5115  
Fax: (07) 849 2115  
waikato@roof.co.nz

#### TAUPO

Roofing Industries (Taupo) Ltd  
1158 Rakaunui Rd  
Taupo  
PO Box 408  
Taupo 3351

Ph: (07) 376 7971  
Fax: (07) 376 7972  
taupo@roof.co.nz

#### PALMERSTON NORTH

Roofing Industries (Central) Ltd  
653 Tremaine Ave  
Palmerston North  
PO Box 4584  
Palmerston North 4410

Ph: (06) 353 8480  
Fax: (06) 353 8470  
central@roof.co.nz

Your distributor

Need a roof – visit [www.roof.co.nz](http://www.roof.co.nz)

NOTE: For installations NOT required to meet, or outside the scope of E2/AS1 of the NZ Building Code, consult the Roofing Industries Technical Catalogue, or visit our website [www.roof.co.nz](http://www.roof.co.nz)



# Roofing with Style



Roofing



Cladding



Rainwater Systems





Practical residential roofing & cladding solutions – innovative products

[www.roof.co.nz](http://www.roof.co.nz)

NOVEMBER 2008



## Practical roofing & cladding solutions Innovative products



### CORRUGATE



Corrugate remains an ageless icon, and as a cost competitive and trend setting roofing and cladding material continues to gain in popularity.

Corrugate offers a stylish alternative to today's building designers and home owners alike, allowing creative flair and individuality during the design process. Product flexibility



coupled with a small amount of imagination will ensure a distinct point of difference to other homes in the vicinity. Choose from unpainted Zinalume®, Galvanised, Aluminium, Copper, Stainless Steel,

perforated, or an extensive range of **COLORCOTE** and **COLORSTEEL** pre-painted modern roof finishes in order to meet individual requirements.




SPECIFICATIONS						
Sheet width: 845 & 1100mm			Sheet coverage: 762 & 995mm			
Sheet length: Any length (subject to transportation)			Minimum pitch: 8°			
SPAN TABLES (Steel Substrate Material)						
Type of Span	Maximum Span (Metres)			Maximum Span (Metres)		
	.40mm BMT			.55mm BMT		
	Wind Zone			Wind Zone		
	Low & Medium	High	Very High	Low & Medium	High	Very High
Intermediate	1.200	1.100	0.900	1.600	1.450	1.200
End	0.700	0.700	0.650	0.950	0.950	0.900

**Wide Corrugate** Manufactured in Auckland – additional freight may be applicable outside of Auckland. Manufacture of wide corrugate is subject to minimum quantities.

### SLIMLINE® Mini Corrugate

A miniature version of the Corrugate roofing product, Slimline® offers a decorative alternative with a wide range of uses, including a perforated acoustic sheet.

Slimline® is particularly suited for projects such as internal and external wall partitioning, cladding, fencing, soffits, ceilings, and some curved applications. Choose from unpainted Zinalume®, Galvanised or an extensive range of pre-painted modern roof finishes.



SPECIFICATIONS		
Sheet width: 840mm		Sheet coverage: 815mm
Sheet length: Maximum 8 metres		
ALLOWABLE SPANS		
THICKNESS	END SPAN	INTERMEDIATE SPAN
.40mm BMT	0.600mm	0.600mm
.55mm BMT	0.600mm	0.800mm

- Slimline® is not designed as a trafficable roofing product.
- For further spanning and installation advice, contact Roofing Industries.





**Slimline®** Manufactured in Auckland – additional freight may be applicable outside of Auckland.

### RIBLINE®

Whilst aesthetics and overall appearances remain a powerful motivating factor during selection of roof type, of equal importance is the ability of the roofing product to prevent water leakage, particularly on lower pitch roofs.

Ribline® is manufactured with a unique capillary-preventing edge lap and offers the best of both worlds by providing the home owner with security against water leakage, and a modern attractive roof finish. With 800mm sheet coverage, Ribline® offers the consumer, less laps,

reduction in the number of fasteners required, faster installation and ultimately, reduced costs. Ribline® can also be supplied as an extra-wide 960mm coverage sheet. Choose from unpainted Zinalume®, Galvanised, Aluminium, Copper, Stainless Steel or an extensive range of **COLORCOTE** and **COLORSTEEL** pre-painted modern roof finishes in order to meet individual requirements.



SPECIFICATIONS						
Sheet width: 890 & 1030mm			Sheet coverage: 800 & 960mm			
Sheet length: Any length (subject to transportation)						
Minimum pitch: 3°						
SPAN TABLES (Steel Substrate Material)						
Type of Span	Maximum Span (Metres)			Maximum Span (Metres)		
	.40mm BMT			.55mm BMT		
	Wind Zone			Wind Zone		
	Low & Medium	High	Very High	Low & Medium	High	Very High
Intermediate	1.600	1.600	1.450	1.800	1.800	1.800
End	0.950	0.950	0.950	1.100	1.100	1.100

**Ribline®** Manufactured in Auckland – additional freight may be applicable outside of Auckland.

### TRIMRIB®

Utilising the very latest in rollforming technology, Trimrib® is manufactured as either Trimrib® (S) single swage and or Trimrib® (V) which incorporates two "V" swages between the ribs.

Each profile is aesthetically pleasing, having been designed with modern building style in mind and creating contrasts of light and shade in straight lines. Trimrib® enables rapid water shedding from the roof with a low minimum pitch requirement

of 3 degrees and when coupled with or without one of the pre-painted surface finishes, Trimrib® ensures the completed project provides purpose and visual appeal. Choose from unpainted Zinalume®, Galvanised, Aluminium, Copper,

Stainless Steel or an extensive range of **COLORCOTE** and **COLORSTEEL** pre-painted modern roof colours in order to meet individual requirements.



SPECIFICATIONS						
Sheet width: 820mm			Sheet coverage: 760mm			
Sheet length: Any length (subject to transportation)						
Minimum pitch: 3°						
SPAN TABLES (Steel Substrate Material)						
Type of Span	Maximum Span (Metres)			Maximum Span (Metres)		
	.40mm BMT			.55mm BMT		
	Wind Zone			Wind Zone		
	Low & Medium	High	Very High	Low & Medium	High	Very High
Intermediate	1.600	1.600	1.450	1.800	1.800	1.800
End	0.950	0.950	0.950	1.100	1.100	1.100

**Trimrib® (S)** Manufactured in Palmerston North and **Trimrib® (V)** in Taupo – additional freight may be applicable outside of these areas.

